

**Estimated Annual Incidence Rate of All
Musculoskeletal Disorders of the Back (including
spine, spinal cord) Involving Days Away from
Work per 100,000 Full-Time Equivalent Workers
(FTEs) in Missouri from 2003 - 2012**

Year	Missouri Estimated Incidence Rate per 100,000 FTEs	U.S. Estimated Incidence Rate per 100,000 FTEs
2003	169	250
2004	145	221
2005	169	203
2006	122	186
2007	122	170
2008	78	158
2009	103	147
2010	83	151
2011*	86	155
2012	86	151


Data Notes:

-Data obtained from the United States Department of Labor, Bureau of Labor Statistics (BLS). For more information go to:
<http://data.bls.gov/iff/home.htm>

-Difference in industry concentration and sample size prohibit state-level data from being directly compared to other states or with national estimates

-*Data for 2011 and after is not comparable with previous years due to occupational definition changes made by the BLS. For more information go to: <http://www.bls.gov/soc/>

Estimated Annual Incidence Rate of All Musculoskeletal Disorders of the Back (including spine, spinal cord) Involving Days Away from Work per 100,000 Full-Time Equivalent Workers (FTEs) in Missouri from 2003 - 2010



Estimated Annual Incidence Rate of All Musculoskeletal Disorders of the Back (including spine, spinal cord) Involving Days Away from Work per 100,000 Full-Time Equivalent Workers (FTEs) in Missouri from 2011 - 2012

