

Average annual Neonatal (less than 28 days of age) Mortality Rate per 1000 live births over 5 year period

Measures that have been suppressed to protect patient confidentiality have been identified using italic text with a shaded background.

Rates or measures with a relative standard error greater than 30% are unstable and have been identified using italic text with a shaded background to prevent misinterpretation.

County	2000-2004	2001-2005	2002-2006	2003-2007
ADAIR	4.32	5.01	6.33	7.04
ANDREW	*	*	*	*
ATCHISON	*	*	*	*
AUDRAIN	5.73	5.75	4.08	3.07
BARRY	3.68	4.38	2.70	3.05
BARTON	*	*	7.15	*
BATES	*	*	*	*
BENTON	*	*	*	*
BOLLINGER	8.35	8.39	11.32	10.93
BOONE	5.16	3.99	4.06	4.34
BUCHANAN	4.99	5.19	4.84	4.65
BUTLER	7.55	8.20	7.65	6.26
CALDWELL	10.02	9.82	11.31	*
CALLAWAY	4.02	5.95	5.53	5.82
CAMDEN	*	*	3.39	3.74
CAPE GIRARDEAU	4.80	4.47	4.45	4.56
CARROLL	*	*	*	*
CARTER	*	*	*	*
CASS	3.40	4.20	4.20	4.12
CEDAR	*	*	*	*
CHARITON	*	*	*	*
CHRISTIAN	3.03	3.10	2.96	3.01
CLARK	*	*	*	*
CLAY	3.03	3.02	3.02	3.15
CLINTON	*	*	*	*
COLE	4.28	3.14	4.73	4.65
COOPER	*	*	*	*
CRAWFORD	*	5.16	4.99	4.84
DADE	*	*	*	*
DALLAS	*	*	*	*
DAVISS	9.91	11.64	*	*
DEKALB	*	*	*	*
DENT	*	*	*	*

Average annual Neonatal (less than 28 days of age) Mortality Rate per 1000 live births over 5 year period

Measures that have been suppressed to protect patient confidentiality have been identified using italic text with a shaded background.

Rates or measures with a relative standard error greater than 30% are unstable and have been identified using italic text with a shaded background to prevent misinterpretation.

County	2000-2004	2001-2005	2002-2006	2003-2007
DOUGLAS	*	*	*	*
DUNKLIN	7.25	8.12	7.66	6.24
FRANKLIN	2.93	3.37	3.20	3.21
GASCONADE	<i>7.18</i>	*	<i>7.07</i>	<i>8.11</i>
GENTRY	*	*	*	*
GREENE	5.49	4.68	4.81	4.56
GRUNDY	*	*	*	*
HARRISON	*	*	*	*
HENRY	<i>4.94</i>	<i>5.00</i>	<i>6.46</i>	<i>5.69</i>
HICKORY	*	*	*	*
HOLT	*	*	*	*
HOWARD	<i>10.48</i>	<i>10.83</i>	<i>10.59</i>	*
HOWELL	4.91	4.83	5.04	<i>4.17</i>
IRON	*	*	*	*
JACKSON	5.03	5.14	5.52	5.68
JASPER	4.44	4.50	3.77	3.14
JEFFERSON	4.83	4.92	4.36	3.86
JOHNSON	3.34	3.38	3.83	3.46
KNOX	*	*	*	*
LACLEDE	<i>3.93</i>	5.91	6.51	7.14
LAFAYETTE	*	<i>3.84</i>	*	<i>3.84</i>
LAWRENCE	4.88	4.86	<i>4.39</i>	5.15
LEWIS	*	*	*	*
LINCOLN	<i>3.29</i>	<i>3.42</i>	<i>2.96</i>	3.40
LINN	*	*	*	*
LIVINGSTON	*	*	*	*
MACON	*	*	*	*
MADISON	*	*	*	*
MARIES	*	*	*	*
MARION	<i>3.03</i>	<i>4.10</i>	<i>3.08</i>	<i>3.96</i>
MCDONALD	6.51	8.71	9.05	7.98
MERCER	*	*	*	*
MILLER	*	*	<i>3.71</i>	<i>4.21</i>

Average annual Neonatal (less than 28 days of age) Mortality Rate per 1000 live births over 5 year period

Measures that have been suppressed to protect patient confidentiality have been identified using italic text with a shaded background.

Rates or measures with a relative standard error greater than 30% are unstable and have been identified using italic text with a shaded background to prevent misinterpretation.

County	2000-2004	2001-2005	2002-2006	2003-2007
MISSISSIPPI	*	*	*	*
MONITEAU	*	*	*	*
MONROE	*	*	*	*
MONTGOMERY	*	*	8.71	*
MORGAN	5.92	6.62	6.99	6.73
NEW MADRID	4.89	*	*	4.86
NEWTON	4.71	4.90	4.58	4.46
NODAWAY	*	*	5.10	5.07
OREGON	*	*	*	*
OSAGE	*	*	*	*
OZARK	*	*	*	*
PEMISCOT	8.94	7.96	9.32	7.61
PERRY	*	*	*	*
PETTIS	5.54	6.90	4.98	4.24
PHELPS	4.74	3.74	6.25	4.27
PIKE	*	*	5.26	8.79
PLATTE	4.82	3.96	4.32	4.29
POLK	5.00	3.94	3.71	3.50
PULASKI	6.02	6.51	6.57	6.40
PUTNAM	*	*	*	*
RALLS	*	*	*	*
RANDOLPH	4.06	4.08	4.09	5.19
RAY	4.14	4.86	5.46	4.72
REYNOLDS	*	*	*	*
RIPLEY	7.88	12.12	15.86	13.03
SALINE	4.91	5.56	7.64	7.42
SCHUYLER	*	*	*	*
SCOTLAND	*	*	*	*
SCOTT	7.70	6.42	5.72	5.94
SHANNON	12.41	*	*	11.92
SHELBY	*	*	*	*
ST. CHARLES	5.12	4.83	5.05	4.88
ST. CLAIR	*	*	*	*

Average annual Neonatal (less than 28 days of age) Mortality Rate per 1000 live births over 5 year period

Measures that have been suppressed to protect patient confidentiality have been identified using italic text with a shaded background.

Rates or measures with a relative standard error greater than 30% are unstable and have been identified using italic text with a shaded background to prevent misinterpretation.

County	2000-2004	2001-2005	2002-2006	2003-2007
ST. FRANCOIS	3.84	4.06	4.22	4.82
ST. LOUIS	5.90	6.02	6.11	6.23
ST. LOUIS CITY	8.49	8.06	7.53	7.22
STE. GENEVIEVE	*	*	*	*
STODDARD	7.35	7.98	7.68	5.41
STONE	6.69	6.90	6.64	4.65
SULLIVAN	*	*	*	*
TANEY	3.58	3.60	3.82	4.32
TEXAS	5.02	5.60	4.15	4.11
VERNON	7.19	5.98	5.76	4.28
WARREN	*	*	3.01	*
WASHINGTON	4.38	4.85	5.36	4.08
WAYNE	9.05	*	*	*
WEBSTER	4.45	3.57	4.98	4.88
WORTH	*	*	*	*
WRIGHT	8.60	8.30	5.99	4.42
Missouri Total	5.15	5.14	5.15	5.03

Data Notes:

-This dataset was obtained from the National Environmental Public Health Tracking (EPHT) Portal at <http://ephtracking.cdc.gov/showHome.action>

-Data are classified by mother's residence at the time of birth which may or may not be the same as the mother's residence at the time of conception.

- Data presented on this portal may differ from data for the same measure on State Tracking Portals, State Health Department Web sites, and other source Web sites. Refer to the Missouri EPHT Data and Statistical Guide for more information on the creation of this indicator.

- Natality data provided by CDC's National Center for Health Statistics National Vital Statistics

-Data obtained from Multiple Cause Mortality files provided by CDC's National Center for Health

- *Rates based off of small cell counts of 0, 1, 2, 3, and 4 have been suppressed to protect patient confidentiality.