

**Estimated Annual Incidence Rate of All
Musculoskeletal Disorders Involving Days
Away from Work per 100,000 Full-Time
Equivalent Workers (FTEs) in Missouri
from 2003 - 2012**

Year	Missouri Estimated Incidence Rate per 100,000 FTEs	U.S. Estimated Incidence Rate per 100,000 FTEs
2003	433	496
2004	402	452
2005	424	413
2006	304	386
2007	314	354
2008	218	334
2009	238	313
2010	249	328
2011*	250	359
2012	250	355

Data Notes:


-Data obtained from the United States Department of Labor, Bureau of Labor Statistics (BLS). For more information go to:

<http://data.bls.gov/iff/home.htm>

-Difference in industry concentration and sample size prohibit state-level data from being directly compared to other states or with national estimates

-*Data for 2011 and after is not comparable with previous years due to occupational definition changes made by the BLS. For more information go to: <http://www.bls.gov/soc/>

Estimated Annual Incidence Rate of All Musculoskeletal Disorders Involving Days Away from Work per 100,000 Full-Time Equivalent Workers (FTEs) in Missouri from 2003 - 2010



Estimated Annual Incidence Rate of All Musculoskeletal Disorders Involving Days Away from Work per 100,000 Full-Time Equivalent Workers (FTEs) in Missouri from 2011 - 2012

