

**Estimated Annual Incidence Rate of All
Musculoskeletal Disorders of the Neck,
Shoulder, and Upper Extremities Involving
Days Away from Work per 100,000 Full-
Time Equivalent Workers (FTEs) in
Missouri from 2003 - 2012**

Year	Missouri Estimated Incidence Rate per 100,000 FTEs	U.S. Estimated Incidence Rate per 100,000 FTEs
2003	181	140
2004	184	132
2005	178	118
2006	106	110
2007	114	103
2008	87	95
2009	90	91
2010	105	99
2011*	96	107
2012	97	107


Data Notes:

-Data obtained from the United States Department of Labor, Bureau of Labor Statistics (BLS). For more information go to: <http://data.bls.gov/iff/home.htm>

-Difference in industry concentration and sample size prohibit state-level data from being directly compared to other states or with national estimates

-*Data for 2011 and after is not comparable with previous years due to occupational definition changes made by the BLS. For more information go to: <http://www.bls.gov/soc/>

Estimated Annual Incidence Rate of All Musculoskeletal Disorders of the Neck, Shoulder, and Upper Extremities Involving Days Away from Work per 100,000 Full-Time Equivalent Workers (FTEs) in Missouri from 2003 - 2010



Estimated Annual Incidence Rate of All Musculoskeletal Disorders of the Neck, Shoulder, and Upper Extremities Involving Days Away from Work per 100,000 Full-Time Equivalent Workers (FTEs) in Missouri from 2011 - 2012

